

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### AquaActiv AIGo Fountain 500 ml

Revision date: 21.10.2016

Product code: 43144\_51278\_

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

AquaActiv AIGo Fountain 500 ml

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Algae killer

#### Uses advised against

any non-intended use.

### 1.3. Details of the supplier of the safety data sheet

Company name:	OASE GmbH	
Street:	Tecklenburger Straße 161	
Place:	D-48477 Hörstel	
Telephone:	+49 (5454) 800	Telefax: +49 (5454) 8090
e-mail:	info@oase-livingwater.com	
Contact person:	Markus Dreyer; Forschung und Entwicklung	Telephone: +49 (5454) 80450
e-mail:	m.dreyer@oase-livingwater.com	
Internet:	www.oase-livingwater.com	
Responsible Department:	Dr. Gans-Eichler	e-mail: info@tge-consult.de
	Chemieberatung GmbH	Tel.: +49 (0)251/924520-60
	Raesfeldstr. 22	www.tge-consult.de
	D-48149 Münster	

### 1.4. Emergency telephone number:

Beratungsstelle für Vergiftungserscheinung in Berlin: +49 (30) - 30686 790

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Toxic to aquatic life with long lasting effects.

### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

#### Pictograms:



#### Hazard statements

H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container to local/regional/national/international regulations.

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### AquaActiv AIGo Fountain 500 ml

Revision date: 21.10.2016

Product code: 43144\_51278\_

Page 2 of 10

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
25988-97-0	Polymer of epichlorohydrin and dimethylamine			1 - < 5 %
	Acute Tox. 4, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1; H302 H400 H410			

Full text of H and EUH statements: see section 16.

#### Further Information

Labelling for contents according to regulation (EC) No 648/2004, annex 7:

Disinfectants: 5 - 15%

phosphonates: <5%

N,N-Dimethyl-2-hydroxypropyl ammonium chloride polymer: M-factor = 10

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

Wash with plenty of water. In case of skin irritation, consult a physician.

#### After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Water spray. Extinguishing powder. In case of major fire and large quantities: alcohol resistant foam. Water spray.

#### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>). Hydrogen chloride (HCl)

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**AquaActiv AIGo Fountain 500 ml**

Revision date: 21.10.2016

Product code: 43144\_51278\_

Page 3 of 10

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. In case of fire and/or explosion do not breathe fumes.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Co-ordinate fire-fighting measures to the fire surroundings.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment. (refer to chapter 8)

**6.2. Environmental precautions**

Do not empty into drains. Do not allow uncontrolled discharge of product into the environment. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).  
Treat the recovered material as prescribed in the section on waste disposal.  
Clean contaminated objects and areas thoroughly observing environmental regulations.

**6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Wear suitable protective clothing. (refer to chapter 8)

**Advice on protection against fire and explosion**

Usual measures for fire prevention.

**Further information on handling**

General protection and hygiene measures: refer to chapter 8

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.  
Make sure spills can be contained (e.g. sump pallets or kerbed areas).  
Keep/Store only in original container.

**Advice on storage compatibility**

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and feedingstuffs.

**Further information on storage conditions**

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.  
Recommended storage temperature: 20°C  
Protect against: Light. UV-radiation/sunlight. heat. moisture.

**7.3. Specific end use(s)**

No information available.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### AquaActiv AIGo Fountain 500 ml

Revision date: 21.10.2016

Product code: 43144\_51278\_

Page 4 of 10

#### Additional advice on limit values

To date, no national critical limit values exist.

#### 8.2. Exposure controls

##### Appropriate engineering controls

No special measures are necessary.

##### Protective and hygiene measures

Always close containers tightly after the removal of product. Do not eat, drink, smoke or sneeze at the workplace. Wash hands before breaks and after work.

##### Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). DIN EN 166

##### Hand protection

Pull-over gloves of rubber. DIN EN 374

Suitable material:

Occasional contact (splashes):

NBR (Nitrile rubber). (0,11 mm)

Breakthrough time >30 min; penetration time (maximum wearing period): 10 min

Prolonged contact:

NBR (Nitrile rubber). (0,4 mm)

Breakthrough time >480 min, penetration time (maximum wearing period): 160 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Breakthrough times and swelling properties of the material must be taken into consideration. Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

##### Skin protection

No special measures are necessary.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

##### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

##### Environmental exposure controls

Do not allow uncontrolled discharge of product into the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	brown
Odour:	odourless

pH-Value:	8,7	Test method
-----------	-----	-------------

#### Changes in the physical state

Melting point:	not determined
Initial boiling point and boiling range:	100 °C
Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
Flash point:	not determined

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### AquaActiv AIGo Fountain 500 ml

Revision date: 21.10.2016

Product code: 43144\_51278\_

Page 5 of 10

Sustaining combustion: No data available

#### Explosive properties

none

Lower explosion limits: not determined

Upper explosion limits: not determined

Ignition temperature: not determined

Decomposition temperature: not determined

#### Oxidizing properties

none

Vapour pressure: 23 hPa  
(at 20 °C)

Density (at 20 °C): 1,01 g/cm<sup>3</sup>

Water solubility: completely miscible

Viscosity / dynamic: not determined

Viscosity / kinematic: not determined

Flow time: not determined

Vapour density: not determined

Evaporation rate: not determined

Solvent content: not determined

#### 9.2. Other information

Solid content: not determined

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No information available.

### 10.4. Conditions to avoid

No information available.

### 10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong.

### 10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>). Hydrogen chloride (HCl)

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Toxicokinetics, metabolism and distribution

No information available.

#### Acute toxicity

Based on available data, the classification criteria are not met.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### AquaActiv AIGo Fountain 500 ml

Revision date: 21.10.2016

Product code: 43144\_51278\_

Page 6 of 10

CAS No	Chemical name			
	Exposure route	Dose	Species	Source
25988-97-0	Polymer of epichlorohydrin and dimethylamine			
	oral	LD50 1672 mg/kg	Rat	MSDS external
	dermal	LD50 >2000 mg/kg	Rat	MSDS external

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h]   [d]	Species	Source
25988-97-0	Polymer of epichlorohydrin and dimethylamine				
	Acute fish toxicity	LC50 0,077 mg/l	96 h	Oncorhynchus mykiss	MSDS external
	Acute algae toxicity	ErC50 0,09 mg/l	72 h	Desmodesmus subspicatus	MSDS external
	Acute crustacea toxicity	EC50 0,084 mg/l	48 h	Daphnia magna	MSDS external
	Acute bacteria toxicity	(168 mg/l)	3 h	Activated sludge	MSDS external

### 12.2. Persistence and degradability

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
25988-97-0	Polymer of epichlorohydrin and dimethylamine			
	OECD 301	81%	27	MSDS external

### 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

Polymer of epichlorohydrin and dimethylamine:

Log Koc: &gt;4,7

literature information: MSDS external

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Other adverse effects

No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### AquaActiv AIGo Fountain 500 ml

Revision date: 21.10.2016

Product code: 43144\_51278\_

Page 7 of 10

#### Further information

Do not allow uncontrolled discharge of product into the environment.  
 Danger to drinking water is already existing with extremely small quantities leaking into the ground.  
 Toxic to fish. Toxic to aquatic organisms.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Advice on disposal

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

##### Waste disposal number of waste from residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances  
 Classified as hazardous waste.

##### Waste disposal number of used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances  
 Classified as hazardous waste.

##### Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances  
 Classified as hazardous waste.

##### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

<b>14.1. UN number:</b>	UN 3082
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Polymer of epichlorohydrin and dimethylamine)
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9



Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	90
Tunnel restriction code:	E

#### Inland waterways transport (ADN)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006


## AquaActiv AIGo Fountain 500 ml

Revision date: 21.10.2016

Product code: 43144\_51278\_

Page 8 of 10

**14.1. UN number:** UN 3082  
**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Polymer of epichlorohydrin and dimethylamine)  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** III  
Hazard label: 9



Classification code: M6  
Special Provisions: 274 335 375 601  
Limited quantity: 5 L  
Excepted quantity: E1

**Marine transport (IMDG)**

**14.1. UN number:** UN 3082  
**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Polymer of epichlorohydrin and dimethylamine)  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** III  
Hazard label: 9



Marine pollutant: YES  
Special Provisions: 274, 335, 969  
Limited quantity: 5 L  
Excepted quantity: E1  
EmS: F-A, S-F

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number:** UN 3082  
**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Polymer of epichlorohydrin and dimethylamine)  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** III  
Hazard label: 9



Special Provisions: A97 A158 A197  
Limited quantity Passenger: 30 kg G  
Passenger LQ: Y964  
Excepted quantity: E1  
IATA-packing instructions - Passenger: 964  
IATA-max. quantity - Passenger: 450 L  
IATA-packing instructions - Cargo: 964  
IATA-max. quantity - Cargo: 450 L

**14.5. Environmental hazards**



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### AquaActiv AIGo Fountain 500 ml

Revision date: 21.10.2016

Product code: 43144\_51278\_

Page 9 of 10

ENVIRONMENTALLY HAZARDOUS: yes



Danger releasing substance: Polymer of epichlorohydrin and dimethylamine

#### 14.6. Special precautions for user

refer to chapter 6-8

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

2010/75/EU (VOC):	not determined
2004/42/EC (VOC):	not determined
Information according to 2012/18/EU (SEVESO III):	E2 Hazardous to the Aquatic Environment

##### Additional information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

##### National regulatory information

Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
Water contaminating class (D):	2 - water contaminating
Biocide registry number:	N-51144

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Changes

Rev. 1.0; 18.02.2014, Initial release

Rev. 1.1; 21.10.2016, Documentation of changes: chapter: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 CAS Chemical Abstracts Service  
 DNEL: Derived No Effect Level  
 IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER  
 International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
 ICAO: International Civil Aviation Organization  
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)  
 LOAEL: Lowest observed adverse effect level  
 LOAEC: Lowest observed adverse effect concentration  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 NOAEL: No observed adverse effect level  
 NOAEC: No observed adverse effect level

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### AquaActiv AIGo Fountain 500 ml

Revision date: 21.10.2016

Product code: 43144\_51278\_

Page 10 of 10

NTP: National Toxicology Program

N/A: not applicable

OSHA: Concerning the International Transport of Dangerous Goods by Rail )

PNEC: predicted no effect concentration

PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern

TRGS Technische Regeln für Gefahrstoffe

TSCA: Toxic Substances Control Act

VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

#### Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

#### Further Information

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data. and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

#### Identified uses

No	Short title	SU main	SU	PC	PROC	ERC	AC	Specification
1		22	-	37	-	4, 8a	-	

SU main: Main user groups

SU: Sectors of use

PC: Product categories

PROC: Process categories

ERC: Environmental release categories

AC: Article categories

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*